

DUBLIN TCE
ENFORCEMENT REMOVAL ADMINISTRATIVE RECORD FILE *
INDEX OF DOCUMENTS

I. ENFORCEMENT DOCUMENTS

** 1. Letter to Ms. Lori Acker, U.S. EPA, from Mr. Everett C. Hogg, County of Bucks, Department of Health, re: Tabulation of TCE analysis results for samples collected from wells in Dublin Borough, 8/29/86. The following are attached:

- a) four handwritten TCE sample results forms;
- b) a map of Dublin;
- c) a handwritten memorandum dated September 2, 1986 regarding the data;
- d) a handwritten memorandum regarding Dublin Borough's wells;
- e) two ground water contour maps;
- f) a hydrologic monitoring location map;
- g) a map illustrating the largest consumers of ground water;
- h) a map illustrating the monitoring well locations surrounding the Rosenelli Test well;
- i) a monitor well data sheet;
- j) Special Analyses Report, sample numbers 0111108-13, 0111116-17, 0111119-24, 0161129-36, 0161149-52, 0161171-82, and 1161202;
- k) Quality Control Laboratory, Inc., report numbers 86024522, 86023626, 86024875, and 86024422;
- l) two water quality analysis reports;

* Administrative Record File available 10/16/92.

** These documents can be found in the Dublin TCE Remedial Administrative Record File located at the Region III EPA Office, Philadelphia, Pa.

m) a well water sample report.

2. Telephone conversation of Mr. Peter B. Harnett, Weston, with Mr. Paul Weinberger, Thompson Plant, re: TCE in water at the Thompson Plant, 9/10/86. P. 100001-100001.
3. Memorandum to Dr. Richard Brunker, U.S. EPA, from Mr. Jay Rodstein, U.S. EPA, re: Request for recommendation concerning the TCE contaminated water supply, 9/18/86. P. 100002-100002.
4. Memorandum to Mr. Jay Rodstein, U.S. EPA, from Mr. Richard Brunker, U.S. EPA, re: An assessment of possible impacts of TCE on users of well water near the Dublin Water Supply Site, 9/25/86. P. 100003-100004.
- ** 5. Letter to Mr. John N. Thompson from Mr. Walter E. Stanley, Jr., PADER, re: Results of sampling tests, 11/21/86.
- ** 6. Letter to Mr. Michael Mason, U.S. EPA, from Mr. Robert C. Brod, BCM Engineers, Inc., re: Residential well sampling plans, 11/25/86.
- ** 7. Letter to Ms. Doyenne Bartlett, U.S. EPA, from Mr. Brian J. McCullough, Connolly, Chandor and McAndrews, re: Comments on BCM's proposal, 12/30/86. The Proposal for Groundwater Contamination Investigation and Remediation Plan is attached.
- ** 8. Memorandum to Mr. Michael Mason, U.S. EPA, and Mr. Robert Young, PADER, from Mr. Peter G. Noll, County of Bucks, re: Comments on the ground water monitoring proposal, 2/5/87.
- ** 9. Letter to Ms. Doyenne H. Bartlett, U.S. EPA, from Mr. Brian J. McCullough, Connolly, Chander and McAndrews, re: Ground water sampling, 3/11/87.
- ** 10. Letter to Ms. Doyenne H. Bartlett, U.S. EPA, from Mr. Robert C. Brod, BCM Engineers, Inc., re: Transmittal of draft Work Plan, 3/27/87.
- ** 11. Letter to Ms. Doyenne H. Bartlett, U.S. EPA, from Mr. Steven F. Kemp, BCM Engineers, Inc., re: Transmittal of Work Plan, 5/21/87.

- ** 12. Letter to Mr. Michael Mason, U.S. EPA, from Mr. Steven F. Kemp, BCM Engineers, Inc., re: Transmittal of Work Plan, 5/21/87.
13. Memorandum to file from Mr. Michael R. Mason, U.S. EPA, re: Meeting with John H. Thompson, responsible party; BCM Engineers, Inc., contractor; and EPA to discuss final work plan for ground water monitoring/treatment program at the Dublin TCE Site, 6/17/87. P. 100005-100007.
14. Consent Agreement and Order, In The Matter Of: Dublin TCE Site. John H. Thompson, Respondent, Docket No. III-87-22-DC, 6/29/87. P. 100008-100016.
- ** 15. Report: Preliminary Assessment of Dublin Water Supply Site, prepared by NUS Corporation, 12/23/88.
16. Modification To The Consent Agreement and Order Of June 29, 1987 Between United States of America and John H. Thompson, In The Matter Of: Dublin TCE Site. John H. Thompson, Respondent, Docket No. III-87-22-DC, 4/91. P. 100017-100018.